### Free Pattern with Our Compliments

Find Inspiration: <a href="https://www.plymouthyarn.com">www.plymouthyarn.com</a>

## WORSTED MERINO SUPERWASH Cable Edged Shawl



Approximate Finished Dimensions 70" wingspan 18 ½" center length after blocking

#### **Materials:**

Worsted Merino Superwash: 4—100G skeins, color 82 Natural Heather Gauge: 12 sts= 4" in st st on US Size 10 (6mm) knitting needle *after blocking*. Needles/Notions: US Size 10 (6mm)-32" circular knitting needle, 1 tapestry needle, 1 cable needle.

Cable and Lace Pattern

Row 1 (RS) K2, (yo, k2tog)3x, yo, C6B, k7, ssk, turn.

Row 2 S1 1, (k2tog, yo)2x, p9, k9. Row 3 K2, (yo, k2tog)2x, yo, k1, k2tog, yo, k13, ssk, turn.

Row 4 Sl 1, (k2tog, yo)2x, p9, k10. Row 5 K2, (yo, k2tog)2x, yo, k2, k2tog,

yo, k3, C6F, k4, ssk, turn. Row 6 Sl 1, (k2tog, yo)2x, p9, k11.

Row 6 St 1, (k2tog, yo)2x, p9, k11. Row 7 K2, (yo, k2tog)2x, yo, k3, k2tog, yo, k13, ssk, turn.

Row 8 S1 1 (k2tog, yo)2x, p9, k12. Row 9 K2, (yo, k2tog)2x, yo, k4, k2tog, yo, C6B, k7, ssk, turn.

Row 10 Sl 1, (k2tog, yo)2x, p9, k13.

<u>Row 11</u> K2, (yo, k2tog)2x, yo, k5, k2tog, yo, k13, ssk, turn.

Row 12 Sl 1, (k2tog, yo)2x, p9, k14.

Row 13 K2, (yo, k2tog)2x, yo, k6, k2tog, yo, k3, C6F, k4, ssk, turn.

Row 14 Sl 1, (k2tog, yo)2x, p9, k15.

Row 15 (K2tog)2x, (yo, k2tog)2x, k5, k2tog, yo, k13, ssk, turn.

Row 16 Sl 1, (k2tog, yo)2x, p9, k8, sl the last st back to left hand needle, pass 5 sts over it, sl it back to right hand needle. Rep these 16 rows.

A circular needle is used to accommodate the large number of stitches. Work either the charted or written instructions for the <u>Cable and Lace Pattern.</u> If you are working the chart, work RS Rows from right to left, and WS Rows from left to right.

The garter stitch shawl body is worked first. The edging is then worked, while incorporating the body of the shawl into every other row.

ABBREVIATIONS: beg= begin(ning), BO= bind off, C6B= slip three stitches to cable needle and holt to back, k3, k3 from cable needle, C6F= slip three stitches to cable needle and hold to front, k3, k3 from cable needle, CO= cast on, dec= decrease, inc= increase, k= knit, kf&b= knit into the front and back of next stitch, k2tog= knit two stitches together, m= marker, mm= millimeter, pm= place marker, p = purl, rep= repeat, RS= right side, sl = slip, ssk = slip 1 st as if to knit, slip a second st as if to knit, knit them together through the back loop, st(s) = stitch(es), st st = stockinette st, tog = together, WS = Wrong Side, yo = yarn over

F767

### Free Pattern with Our Compliments

Find Inspiration: www.plymouthyarn.com

### F767

#### **Begin**

#### Garter Tab

CO 2 sts. Knit 4 rows. Do not turn work. Pick up and knit 1 st in each of the 2 garter ridges, then pick up and knit 2 sts along cast on edge: 6 sts.

Next Row: K2, yo, k to last 2 sts, yo, k2—2 sts inc'd.

8 sts on needle.

#### **Body**

Row 1: K2, yo, kf&b, k to last 2 sts, yo, k2—3 sts inc'd.

11 sts on needle.

Rep this last row eighty-three times more.

260 sts on needle.

Next Row (WS): K across.

#### **Edging**

Using the knitted CO method, CO 22 sts onto right hand needle.

Next Row (RS): K21, ssk (1 st from the shawl body and 1 st from the shawl edge will be worked tog), turn.

Next Row (WS): S1 1, k21, turn.

Rep these last 2 rows once more.

Work rows 1-16 of <u>Cable Lace Pattern</u> thirty-two times. 2 body sts remain.

Next Row (RS): K21, ssk, turn.—1 body st dec'd.

Next Row: Sl 1, k21.

Next Row: K21, ssk. BO all sts on next row.

#### Finishing

Wet block the shawl to measurements, soaking the shawl in your favorite woolwash for at least 30 minutes. Roll in towels to remove most of the moisture. Pin out the pointed edge of the shawl. Let it air dry. Weave in all ends.

©2016 Plymouth Yarn Company. 082616vle Designed by Vanessa Ewing 021317vle




ABBREVIATIONS: beg= begin(ning), BO= bind off, C6B= slip three stitches to cable needle and holt to back, k3, k3 from cable needle, C6F= slip three stitches to cable needle and hold to front, k3, k3 from cable needle, CO= cast on, dec= decrease, inc= increase, k= knit, kf&b= knit into the front and back of next stitch, k2tog= knit two stitches together, m= marker, mm= millimeter, pm= place marker, p = purl, rep= repeat, RS= right side, sl = slip, ssk = slip 1 st as if to knit, slip a second st as if to knit, knit them together through the back loop, st(s) = stitch(es), st st = stockinette st, tog = together, WS = Wrong Side, yo = yarn over

## Free Pattern with Our Compliments

Find Inspiration: www.plymouthyarn.com

F767



ABBREVIATIONS: beg= begin(ning), BO= bind off, C6B= slip three stitches to cable needle and holt to back, k3, k3 from cable needle, C6F= slip three stitches to cable needle and hold to front, k3, k3 from cable needle, CO= cast on, dec= decrease, inc= increase, k= knit, kf&b= knit into the front and back of next stitch, k2tog= knit two stitches together, m= marker, mm= millimeter, pm= place marker, p = purl, rep= repeat, RS= right side, sl = slip, ssk = slip 1 st as if to knit, slip a second st as if to knit, knit them together through the back loop, st(s) = stitch(es), st st = stockinette st, tog = together, WS = Wrong Side, yo = yarn over

Free Pattern with Our Compliments

Find Inspiration: www.plymouthyarn.com

### **NOTES**

F767